



How to: Sword

1.



Taping of Sword - After Tip and Pom built:
1. Criss Cross packing tape starting at one side of noodle and pull over to other side affixing striking edge/pommel to core.

2. Once pommel and striking edge have been taped down, secure to shaft by wrapping packing tape to tape edges and core surface.

3. Affix layer of sports tape over hand piece covering both ends of packing tape.

4. Affix opaque cloth covers.

packing tape

Tip Construction 1.0


carpet tape



4.

2.

Pommel Const. 1.0




Shield Measurements

presented by sutrabahuas
savethefunk.org


Large Shield

No more than 8 sq' or 96" total
Up to a circumference of 38.5"
No wider than 3' if round




Medium Shield

No more than 5 sq' or 60"
Up to a circumference of 30.28



Small Shield

No more than 3 sq' or 36"
Up to a circumference of 23.45



Shield Foam. Buzzwords to live by: H-Cell, Laminated Plank, 2 inch, white, density 1.7. (Laminated is better than non-laminated. Densities greater than 1.7 are heavier than needed and tend to be too firm.)

Shield foam can be bought from FOAM FABRICATORS, INC.,
11650 Emerald St., Dallas Tx, 75229, 972-241-0096.

No minimum order as long as you buy full, uncut, 48x108 inch sheets
(\$50.00 each in mid-05).

Presented by Sutra
Midnight Sun
Emerald Hills

10ga = .1345"

11ga = .1196"

12ga = .1046"

13ga = .0897"

14ga = .0747"

15ga = .0673"

16ga = .0598"

17ga = .0538"

18ga = .0478"

19ga = .0418"

www.savethefunk.org

E-Z Sheet Metal Gauge Chart

with adult supervision, cut along this solid line

E-Z Sheet Metal Gauge Chart

www.savethefunk.org

19ga = .0418"

18ga = .0478"

17ga = .0538"

16ga = .0598"

15ga = .0673"

14ga = .0747"

13ga = .0897"


12ga = .1046"

11ga = .1196"

10ga = .1345"

Presented by Sutra
Midnight Sun
Emerald Hills


Polearm Diameter Recommendations by Rath




25mm or .98"

The diameters you want are 25-30 mm for up to 9 ft polearms. Order the longest length in that size range as trimming down lets you "select better quality lengths."


9-12 ft poles should be based on bamboo who's minimum diameter range is 30 mm. A bundle in this size range is a 25 count. I've never ordered a 35-40 mm bundle before; they come in 15 ft lengths. Your wanting kiln dried, fungicide treated, Tonkin bamboo.




30mm or 1.18"




35mm or 1.38"



40mm or 1.60"



50.75mm or 2"



76mm or 2"

-Rath

5" 3" 2" 1"



Honor

(Submitted by Grand Duke Heimdale)

An Honorable Knight conducts himself with Integrity regardless of circumstances.

It is an admirable act to comfort a dying friend.

But it is an act of Honor to comfort a dying enemy.

Honor involves respect, not only to peers and superiors, but also anyone sharing the Knight's commitment to fairness and justice.

The Knight shows mercy to the repetitive and refuses to inflict undue suffering or pain on any creature except the Undead.

A Knight defers to the judgement of all individuals of superior Rank, Social Class, or level.

Acccepts all challenges to duel or fight by those of Comparable status and power.

A Knight will die before compromising his/her principles, betraying his Liege or Faith or abandoning a protected charge.